

Contents of *Animal Feed Science and Technology*, Volume 108

VOL. 108 NOS. 1–4

25 AUGUST 2003

Ruminants

- Fish oil metabolism in ruminants. III. Transfer of *n*–3 polyunsaturated fatty acids (PUFA) from tuna oil into sheep's milk
S.M. Kitessa (Wembley, Australia), D. Peake, R. Bencini (Crawley, Australia) and A.J. Williams (Wembley, Australia) 1
- Feeding value of wild Napier grass (*Pennisetum macrourum*) for cattle supplemented with protein and/or energy rich supplements
M.N. Shem, E.J. Mtengeti, M. Luaga (Morogoro, Tanzania), T. Ichinohe and T. Fujihara (Matsue-shi, Japan) 15
- Effect of feeding calcium salts of long-chain fatty acids, from palm fatty acid distillate or soybean oil, to high producing dairy cows on milk yield and composition, and on selected blood and reproductive parameters
P. Mandevu, C.S. Ballard, C.J. Sniffen, M.P. Carter, H.M. Wolford (Chazy, NY, USA), T. Sato, Y. Yabuuchi (Tokyo, Japan), E. Block (Princeton, NJ, USA) and D.L. Palmquist (Wooster, OH, USA) 25
- Phosphorus availability of oilseed meals determined by the apparent faecal digestibility technique
D. Bravo (Paris, France and Château-Thierry, France), F. Meschy (Paris, France), C. Bogaert (Château-Thierry, France) and D. Sauvant (Paris, France) 43

Non-Ruminants

- The replacement value of sorghum and maize with or without supplemental enzymes for rice in extruded dog foods
L.N. Twomey, J.R. Pluske (Murdoch, Australia), J.B. Rowe, M. Choct, W. Brown (Armidale, Australia) and D.W. Pethick (Murdoch, Australia) 61
- The effects of increasing levels of soluble non-starch polysaccharides and inclusion of feed enzymes in dog diets on faecal quality and digestibility
L.N. Twomey, J.R. Pluske (Murdoch, Australia), J.B. Rowe, M. Choct, W. Brown (Armidale, Australia), M.F. McConnell and D.W. Pethick (Murdoch, Australia) 71
- The effects of added fructooligosaccharide (Rafilose® P95) and inulinase on faecal quality and digestibility in dogs
L.N. Twomey, J.R. Pluske (Murdoch, Australia), J.B. Rowe, M. Choct, W. Brown (Armidale, Australia) and D.W. Pethick (Murdoch, Australia) 83
- A review of interactions between dietary fibre and the intestinal mucosa, and their consequences on digestive health in young non-ruminant animals
L. Montagne (Rennes, France), J.R. Pluske and D.J. Hampson (Murdoch, Australia) 95
- Effects of astaxanthin-rich algal meal (*Haematococcus pluvalis*) on growth performance, caecal campylobacter and clostridial counts and tissue astaxanthin concentration of broiler chickens
L. Waldestedt (Uppsala, Sweden), J. Inbarr (Gustavsberg, Sweden), I. Hansson and K. Elwinger (Uppsala, Sweden) 119

General Topics

The effect of agronomic improvement and urea treatment on the nutritional value of Malaysian rice straw varieties J. Vadeloo (Shah Alam, Malaysia)	133
Impact of level of spontaneous heating during storage of bermudagrass hay on rumen in situ disappearance kinetics in steers L.J. McBeth, K.P. Coffey, W.K. Coblenz, D.H. Hellwig, J.E. Turner and D.A. Scarbrough (Fayetteville, AR, USA)	147
In vitro and in situ evaluation of selected multipurpose trees, wheat bran and <i>Lablab purpureus</i> as potential feed supplements to tef (<i>Eragrostis tef</i>) straw S. Melaku (Dire Dawa, Ethiopia), K.J. Peters (Berlin, Germany) and A. Tegegne (Addis Abeba, Ethiopia)	159
Ensiling forage garland (<i>Chrysanthemum coronarium</i> L.) at two stages of maturity and at different wilting levels M.E. Valente, G. Borreani (Torino, Italy), S. Caredda (Sassari, Italy), L. Cavallarin (Torino, Italy) and L. Sulas (Sassari, Italy)	181
Comparison of the fatty acid composition of fresh and ensiled perennial ryegrass (<i>Lolium perenne</i> L.), affected by cultivar and regrowth interval A. Elgersma (Wageningen, The Netherlands), G. Ellen (Ede, The Netherlands), H. van der Horst (Wageningen, The Netherlands), B.G. Muuse (Ede, The Netherlands), H. Boer and S. Tamminga (Wageningen, The Netherlands)	191

Methodologies

The enzyme hydrolysed protein method for the determination of endogenous ileal nitrogen and amino acid flows—a modification S.M. Hodgkinson and P.J. Moughan (Palmerston North, New Zealand)	207
---	-----

Short communications

Partially or totally replacing soybean meal and maize by chickpeas in lamb diets: intramuscular fatty acid composition A. Priolo, M. Lanza, V. Galofaro (Catania, Italy), V. Fasone (Reggio Calabria, Italy) and M. Bella (Catania, Italy)	215
Rumen degradation and intestinal digestibility of rumen protected amino acids: comparison between in situ and in vitro data F. Rossi, M. Maurizio, M. Francesco, C. Giovanna and P. Gianfranco (Piacenza, Italy)	223

Contents of Animal Feed Science and Technology, Volume 108	231
---	-----

